

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

P.S. - Irrigation & CAD Department - Disciplinary action against Sri V.Adinarayana Murthy, Dy. Superintending Engineer (Rtd) for misconduct in respect of works executed in Godawari pushkarams 2003 at Rajahmundry - Sanction under Rule 9 of APRP Rules, 1980 - Orders - Issued.

IRRIGATION & CAD(SER.VII(V&E-2) DEPARTMENT
G.O.Ms.No. 188 Dated:03-11-2008

O R D E R:

Whereas it has been brought to the notice of the Government that Sri V.Adinarayna Murthy, Dy. Superintending Engineer (Rtd) during his incumbency as Dy. Superintending Engineer, Irrigation Circle, Dowlaiswaram has been alleged to have committed misconduct in respect of the works executed in Godawari Pushkaram 2003 at Rajahmundry.

2. Therefore Government have come to conclusion after examination that there exists a prima facie case to initiate Departmental action against Sri V.Adinarayna Murthy, Dy. Superintending Engineer (Rtd) .

3. Now, therefore sanction is accorded under sub clause (i) under clause (b) of sub rule (2) of Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 to initiate Departmental Proceedings against the said Sri V.Adinarayna Murthy, Dy. Superintending Engineer (Rtd) .

4. It is further directed that the said Departmental proceedings shall be conducted in accordance with the procedure laid down in rule 20 of A.P Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri V.Adinarayna Murthy, Dy. Superintending Engineer (Rtd) .
through Engineer-in-Chief (AW), Irrigation & CAD Department,
Hyderabad.

The Engineer-in-Chief (AW),I& CAD Department, Hyderabad

//FORWARDED :: BY ORDER//

SECTION OFFICER